

研究業績リスト

・ 学術誌論文 (115 件) (ResearcherID: H-7504-2014)

(Impact Factor と Times Cited は最近の参考値)

1. M. Sakuraba, J. Murota, N. Mikoshiba and S. Ono, “Atomic Layer Epitaxy of Germanium on Silicon Using Flash Heating Chemical Vapor Deposition”, Journal of Crystal Growth, 115, (1991), 79-82.
[Impact Factor: 1.83, Times Cited: 30]
2. J. Murota, M. Sakuraba, N. Mikoshiba and S. Ono, “Control of Germanium Atomic Layer Formation on Silicon Using Flash Heating in Germanium CVD”, Journal de Physique IV, 1, (1991), C2-803-C2-808.
[Impact Factor: --- Times Cited: 12]
3. J. Murota, M. Sakuraba and S. Ono, “Silicon Atomic Layer Growth Controlled by Flash Heating in Chemical Vapor Deposition Using SiH₄ Gas”, Applied Physics Letters, 62, (1993), 2353-2355.
[Impact Factor: 3.971, Times Cited: 44]
4. M. Sakuraba, J. Murota and S. Ono, “Silicon Atomic Layer Growth Using Flash Heating in CVD”, Journal de Physique IV, 3, (1993), C3-449-C3-456.
[Impact Factor: ---, Times Cited: 6]
5. M. Sakuraba, J. Murota, T. Watanabe, Y. Sawada and S. Ono, “Atomic-Layer Epitaxy Control of Ge and Si in Flash-Heating CVD Using GeH₄ and SiH₄ Gases”, Applied Surface Science, 82-83, (1994), 354-358.
[Impact Factor: 7.392, Times Cited: 22]
6. M. Sakuraba, J. Murota and S. Ono, “Stability of the Dimer Structure Formed on Si(100) by Ultraclean Low-Pressure Chemical Vapor Deposition”, Journal of Applied Physics, 75, (1994), 3701-3703.
[Impact Factor: 2.877, Times Cited: 38]
7. J. Murota, M. Sakuraba, T. Watanabe, T. Matsuura and Y. Sawada, “Atomic Layer-by-Layer Epitaxy of Silicon and Germanium Using Flash Heating in CVD”, Journal de Physique IV, 5, (1995), C5-1101-C5-1108.
[Impact Factor: ---, Times Cited: 11]
8. S. Kobayashi, M. Sakuraba, T. Matsuura, J. Murota and N. Mikoshiba, “Initial Growth Characteristics of Germanium on Silicon in LPCVD Using Germane Gas”, Journal of Crystal Growth, 174, (1997), 686-690.
[Impact Factor: 1.83, Times Cited: 15]
9. T. Watanabe, M. Sakuraba, T. Matsuura and J. Murota, “Atomic-Layer Surface Reaction of SiH₄ on Ge(100)”, Japanese Journal of Applied Physics, 36, (1997), 4042-4045.
[Impact Factor: 1.491, Times Cited: 24]
10. A. Izena, M. Sakuraba, T. Matsuura and J. Murota, “Low-Temperature Reaction of CH₄ on Si(100)”, Journal of Crystal Growth, 188, (1998), 131-136.
[Impact Factor: 1.83, Times Cited: 27]
11. T. Watanabe, A. Ichikawa, M. Sakuraba, T. Matsuura and J. Murota, “Atomic-Order Thermal Nitridation of Silicon at Low Temperatures”, Journal of the Electrochemical Society, 145, (1998), 4252-4256.
[Impact Factor: 4.371, Times Cited: 43]
12. T. Watanabe, M. Sakuraba, T. Matsuura and J. Murota, “Separation between Surface Adsorption and Reaction of NH₃ on Si(100) by Flash Heating”, Japanese Journal of Applied Physics, 38, (1999), 515-517.
[Impact Factor: 1.491, Times Cited: 23]
13. A. Moriya, M. Sakuraba, T. Matsuura and J. Murota, “Doping and Electrical Characteristics of In Situ Heavily B-Doped Si_{1-x}Ge_x Films Epitaxially Grown Using Ultraclean LPCVD”, Thin Solid Films, 343-344, (1999), 541-544.
[Impact Factor: 2.358, Times Cited: 12]

14. T. Watanabe, M. Sakuraba, T. Matsuura and J. Murota, "Layer-by-Layer Growth of Silicon Nitride Films by NH_3 and SiH_4 ", *Journal de Physique IV*, 9, (1999), Pr8-333-Pr8-340.
[Impact Factor: ---, Times Cited: 4]
15. S. Kobayashi, M. Iizuka, T. Aoki, N. Mikoshiba, M. Sakuraba, T. Matsuura and J. Murota, "Segregation and Diffusion of Phosphorus from Doped $\text{Si}_{1-x}\text{Ge}_x$ Films into Silicon", *Journal of Applied Physics*, 86, (1999), 5480-5483.
[Impact Factor: 2.877, Times Cited: 13]
16. P. Han, M. Sakuraba, Y. Jeong, K. Bock, T. Matsuura and J. Murota, "Observation of Sharp Current Peaks in Resonant Tunneling Diode with Strained $\text{Si}_{0.6}\text{Ge}_{0.4}/\text{Si}(100)$ Grown by Low-Temperature Low-Pressure CVD", *Journal of Crystal Growth*, 209, (2000), 315-320.
[Impact Factor: 1.83, Times Cited: 13]
17. T. Takatsuka, M. Fujiu, M. Sakuraba, T. Matsuura and J. Murota, "Surface Reaction of CH_3SiH_3 on Ge(100) and Si(100)", *Applied Surface Science*, 162-163, (2000), 156-160.
[Impact Factor: 7.392, Times Cited: 21]
18. Y. Shimamune, M. Sakuraba, T. Matsuura and J. Murota, "Atomic-Layer Adsorption of P on Si(100) and Ge(100) by PH_3 Using an Ultraclean Low-Pressure Chemical Vapor Deposition", *Applied Surface Science*, 162-163, (2000), 390-394.
[Impact Factor: 7.392, Times Cited: 25]
19. A. Ichikawa, Y. Hirose, T. Ikeda, T. Noda, M. Fujiu, T. Takatsuka, A. Moriya, M. Sakuraba, T. Matsuura and J. Murota, "Epitaxial Growth of $\text{Si}_{1-x-y}\text{Ge}_x\text{C}_y$ Film on Si(100) in a $\text{SiH}_4\text{-GeH}_4\text{-CH}_3\text{SiH}_3$ Reaction", *Thin Solid Films*, 369, (2000), 167-170.
[Impact Factor: 2.358, Times Cited: 14]
20. S. Kobayashi, T. Aoki, N. Mikoshiba, M. Sakuraba, T. Matsuura and J. Murota, "Segregation and Diffusion of Impurities from Doped $\text{Si}_{1-x}\text{Ge}_x$ Films into Silicon", *Thin Solid Films*, 369, (2000), 222-225.
[Impact Factor: 2.358, Times Cited: 9]
21. T. Tsuchiya, K. Goto, M. Sakuraba, T. Matsuura and J. Murota, "Drain Leakage Current and Instability of Drain Current in Si/ $\text{Si}_{1-x}\text{Ge}_x$ MOSFETs", *Thin Solid Films*, 369, (2000), 379-382.
[Impact Factor: 2.358, Times Cited: 5]
22. T. Noda, D. Lee, H. Shim, M. Sakuraba, T. Matsuura and J. Murota, "Doping and Electrical Characteristics of In-situ Heavily B-Doped $\text{Si}_{1-x-y}\text{Ge}_x\text{C}_y$ Films Epitaxially Grown Using Ultraclean LPCVD", *Thin Solid Films*, 380, (2000), 57-60.
[Impact Factor: 2.358, Times Cited: 16]
23. Y. Shimamune, M. Sakuraba, T. Matsuura and J. Murota, "Atomic-Layer Doping in Si by Alternately Supplied PH_3 and SiH_4 ", *Thin Solid Films*, 380, (2000), 134-136.
[Impact Factor: 2.358, Times Cited: 7]
24. 室田淳一, 櫻庭政夫, 松浦孝, "CVD $\text{Si}_{1-x}\text{Ge}_x$ エピタキシャル成長とドーピング制御", *日本結晶成長学会誌*, *日本結晶成長学会*, 27, 4, (2000), 171-178.
(J. Murota, M. Sakuraba and T. Matsuura, "CVD Epitaxial Growth of $\text{Si}_{1-x}\text{Ge}_x$ and In-Situ Doping Control", *Journal of the Japanese Association of Crystal Growth*, 27, 4, (2000), 171-178, (in Japanese).)
[Impact Factor: --, Times Cited: --]
25. P. Han, C. Xue-Mei, M. Sakuraba, Y. Jeong, T. Matsuura and J. Murota, "Effect of Si/ $\text{Si}_{1-y}\text{C}_y$ /Si Barriers on the Characteristics of $\text{Si}_{1-x}\text{Ge}_x/\text{Si}$ Resonant Tunneling Structures", *Chinese Physics Letters*, 17, (2000), 844-846.
[Impact Factor: 2.293, Times Cited: --]
26. T. Watanabe, M. Sakuraba, T. Matsuura and J. Murota, "Atomic-Order Thermal Nitridation of Si (100) and Subsequent Growth of Si", *Journal of Vacuum Science & Technology A*, 19, (2001), 1907-1911.
[Impact Factor: 3.234, Times Cited: 11]

27. D. Lee, T. Noda, H. Shim, M. Sakuraba, T. Matsuura and J. Murota, "Phosphorus Doping in $\text{Si}_{1-x-y}\text{Ge}_x\text{C}_y$ Epitaxial Growth by Low-Pressure Chemical Vapor Deposition Using a $\text{SiH}_4\text{-GeH}_4\text{-CH}_3\text{SiH}_3\text{-PH}_3\text{-H}_2$ Gas System", Japanese Journal of Applied Physics, 40, (2001), 2697-2700.
[Impact Factor: 1.491, Times Cited: 8]
28. 室田淳一, 櫻庭政夫, 松浦孝, "CVD 法による $\text{Si}_{1-x-y}\text{Ge}_x\text{C}_y$ エピタキシャル成長とドーピング制御", 応用物理学会誌, 70, 9, (2001), 1082-1086.
(J. Murota, M. Sakuraba and T. Matsuura, "Epitaxial Growth of $\text{Si}_{1-x-y}\text{Ge}_x\text{C}_y$ and In-Situ Doping Control by CVD", OYO BUTURI, 70, 9, (2001), 1082-1086, (in Japanese).)
[Impact Factor: --, Times Cited: --]
29. Y. Shimamune, M. Sakuraba, T. Matsuura and J. Murota, "Epitaxial Growth of Heavily P-doped Si Films at 450°C by Alternately Supplied PH_3 and SiH_4 ", Journal de Physique IV, 11, (2001), Pr3-255-Pr3-260.
[Impact Factor: ---, Times Cited: 3]
30. T. Yamashiro, T. Kikuchi, M. Ishii, F. Honma, M. Sakuraba, T. Matsuura, J. Murota and T. Tsuchiya, "Super Self-Aligned Technology of Ultra-Shallow Junction in MOSFETs Using Selective $\text{Si}_{1-x}\text{Ge}_x$ CVD", Materials Science and Engineering B, 89, (2002), 120-124.
[Impact Factor: 3.407, Times Cited: 6]
31. J. Murota, T. Matsuura and M. Sakuraba, "Atomically Controlled Processing for Group IV Semiconductors", Surface and Interface Analysis, 34, (2002), 423-431.
[Impact Factor: 1.702, Times Cited: 32]
32. O. Jintsugawa, M. Sakuraba, T. Matsuura and J. Murota, "Thermal Nitridation of Ultrathin SiO_2 on Si by NH_3 ", Surface and Interface Analysis, 34, (2002), 456-459.
[Impact Factor: 1.702, Times Cited: 18]
33. T. Kanaya, M. Sakuraba and J. Murota, "W Delta Doping in Si(100) Using Ultraclean Low-Pressure CVD", Applied Surface Science, 212-213, (2003), 684-688.
[Impact Factor: 7.392, Times Cited: 4]
34. K. Takahashi, M. Fujiu, M. Sakuraba and J. Murota, "Si Epitaxial Growth on SiH_3CH_3 Reacted Ge(100) and Intermixing between Si and Ge during Heat Treatment", Applied Surface Science, 212-213, (2003), 193-196.
[Impact Factor: 7.392, Times Cited: 3]
35. M. Sakuraba, D. Muto, T. Seino and J. Murota, "Si Atomic Layer-by-Layer Epitaxial Growth Process Using Alternate Exposure of Si(100) to SiH_4 and to Ar Plasma", Applied Surface Science, 212-213, (2003), 197-200.
[Impact Factor: 7.392, Times Cited: 10]
36. H. Shim, M. Sakuraba, T. Tsuchiya and J. Murota, "Work Function of Impurity-Doped Polycrystalline $\text{Si}_{1-x-y}\text{Ge}_x\text{C}_y$ Film Deposited by Ultraclean Low-Pressure CVD", Applied Surface Science, 212-213, (2003), 209-212.
[Impact Factor: 7.392, Times Cited: 3]
37. J. Noh, M. Sakuraba, J. Murota, S. Zaima and Y. Yasuda, "Contact Resistivity between Tungsten and Impurity (P and B)-Doped $\text{Si}_{1-x-y}\text{Ge}_x\text{C}_y$ Epitaxial Layer", Applied Surface Science, 212-213, (2003), 679-683.
[Impact Factor: 7.392, Times Cited: 13]
38. Y. Jeong, M. Sakuraba and J. Murota, "Atomic-Layer Doping in Si by Alternately Supplied NH_3 and SiH_4 ", Applied Physics Letters, 82, (2003), 3472-3474.
[Impact Factor: 3.971, Times Cited: 24]
39. J. Murota, M. Sakuraba and B. Tillack, "Atomically Controlled Technology for Future Si-Based Devices", Solid State Phenomena, 95-96, (2004), 607-616.
[Impact Factor: 0.232, Times Cited: 10]

40. D. Lee, S. Takehiro, M. Sakuraba, J. Murota and T. Tsuchiya, “Fabrication of 0.12- μm SiGe-Channel MOSFET Containing High Ge Fraction Si/Si_{1-x}Ge_x/Si(100) Heterostructure with Ultrashallow Source/Drain Formed by Selective B-Doped SiGe CVD”, *Applied Surface Science*, 224, (2004), 254-259.
[Impact Factor: 7.392, Times Cited: 12]
41. D. Sasaki, S. Ohmi, M. Sakuraba, J. Murota and T. Sakai, “Proposal of a Multi-Layer Channel MOSFET: The Application of Selective Etching for Si/SiGe Stacked Layers”, *Applied Surface Science*, 224, (2004), 270-273.
[Impact Factor: 7.392, Times Cited: 4]
42. J. Noh, S. Takehiro, M. Sakuraba and J. Murota, “Relationship between Impurity (B or P) and Carrier Concentration in SiGe(C) Epitaxial Film Produced by Thermal Treatment”, *Applied Surface Science*, 224, (2004), 77-81.
[Impact Factor: 7.392, Times Cited: 7]
43. Y. Jeong, M. Sakuraba and J. Murota, “Epitaxial Growth of N Delta Doped Si Films on Si(100) by Alternately Supplied NH₃ and SiH₄”, *Applied Surface Science*, 224, (2004), 197-201.
[Impact Factor: 7.392, Times Cited: 10]
44. Y. Shimamune, M. Sakuraba and J. Murota, “Formation of Heavily P Doped Si Epitaxial Film on Si(100) by Multiple Atomic-Layer Doping Technique”, *Applied Surface Science*, 224, (2004), 202-205.
[Impact Factor: 7.392, Times Cited: 20]
45. M. Fujiu, K. Takahashi, M. Sakuraba and J. Murota, “Effect of Carbon on the Thermal Stability of a Si Atomic Layer on Ge(100)”, *Applied Surface Science*, 224, (2004), 206-209.
[Impact Factor: 7.392, Times Cited: 0]
46. D. Muto, M. Sakuraba, T. Seino and J. Murota, “Ar Plasma Irradiation Effects in Atomically Controlled Si Epitaxial Growth”, *Applied Surface Science*, 224, (2004), 210-214.
[Impact Factor: 7.392, Times Cited: 13]
47. S. R. Aid, T. Sakaguchi, K. Toyonaga, Y. Nakabayashi, S. Matsumoto, M. Sakuraba, Y. Shimamune, Y. Hashiba, J. Murota, K. Wada, and T. Abe, “Si Self-Diffusivity Using Isotopically Pure ³⁰Si Epitaxial Layers”, *Materials Science and Engineering B*, 114-115, (2004), 330-333.
[Impact Factor: 3.407, Times Cited: 12]
48. K. Sugawara, M. Sakuraba and J. Murota, “Atomically Controlled Ge Epitaxial Growth on Si(100) in Ar Plasma Enhanced GeH₄ Reaction”, *Materials Science in Semiconductor Processing*, 8, (2005), 69-72.
[Impact Factor: 4.644, Times Cited: 10]
49. T. Kurosawa, T. Komatsu, M. Sakuraba and J. Murota, “Electrical Properties of W Delta Doped Si Epitaxial Films Grown on Si(100) by Ultraclean Low-Pressure Chemical Vapor Deposition”, *Materials Science in Semiconductor Processing*, 8, (2005), 125-129.
[Impact Factor: 4.644, Times Cited: 2]
50. Y. Jeong, M. Sakuraba and J. Murota, “Electrical Properties of N Atomic Layer Doped Si Epitaxial Films Grown by Ultraclean Low-Pressure Chemical Vapor Deposition”, *Materials Science in Semiconductor Processing*, 8, (2005), 121-124.
[Impact Factor: 4.644, Times Cited: 9]
51. M. Mori, T. Seino, D. Muto, M. Sakuraba and J. Murota, “Si Epitaxial Growth on Atomic-Order Nitrided Si(100) Using Electron Cyclotron Resonance Plasma”, *Materials Science in Semiconductor Processing*, 8, (2005), 65-68.
[Impact Factor: 4.644, Times Cited: 5]
52. H.-S. Cho, S. Takehiro, M. Sakuraba and J. Murota, “Sidewall Protection by Nitrogen and Oxygen in Poly-Si_{1-x}Ge_x Anisotropic Etching Using Cl₂/N₂/O₂ Plasma”, *Materials Science in Semiconductor Processing*, 8, (2005), 239-243.
[Impact Factor: 4.644, Times Cited: 6]

53. A. Yamada, M. Sakuraba and J. Murota, "Integration of Si p-i-n Diodes for Light Emitter and Detector with Optical Waveguides", *Materials Science in Semiconductor Processing*, 8, (2005), 435-438.
[Impact Factor: 2.593, Times Cited: 8]
54. T. Yamazaki, S. Ohmi, S. Morita, H. Ohri, J. Murota, M. Sakuraba, H. Omi, Y. Takahashi and T. Sakai, "Separation by Bonding Si Islands (SBSI) for LSI Applications", *Materials Science in Semiconductor Processing*, 8, (2005), 59-63.
[Impact Factor: 4.644, Times Cited: 0]
55. 室田淳一, 櫻庭政夫, "SiGe 系エピタキシャル成長とその原子層制御(解説)", *真空*, 日本真空協会, 48, (2005), 8-12.
(J. Murota and M. Sakuraba, "Epitaxial Growth of SiGe Alloy and Its Atomic Layer Control" (**Technical Review Paper**), *VACUUM (The Vacuum Society of Japan)*, 48, (2005), 8-12, (in Japanese).)
[Impact Factor: --, Times Cited: --]
56. T. Yamazaki, S. Ohmi, S. Morita, H. Ohri, J. Murota, M. Sakuraba, H. Omi and T. Sakai, "Separation by Bonding Si Islands for Advanced CMOS LSIs Application", *IEICE Transactions on Electronics*, E88-C, (2005), 656-661.
[Impact Factor: 0.477, Times Cited: 0]
57. H. Shim, M. Sakuraba and J. Murota, "Effect of Grain Boundary on Electrical Characteristics in B- and P-Doped Polycrystalline Si_{1-x-y}Ge_xC_y Film Deposited by Ultraclean LPCVD", *Thin Solid Films*, 508, (2006), 36-39.
[Impact Factor: 2.358, Times Cited: 4]
58. H. Nitta, J. Tanabe, M. Sakuraba and J. Murota, "Carbon Effect on Strain Compensation in Si_{1-x-y}Ge_xC_y Films Epitaxially Grown on Si(100)", *Thin Solid Films*, 508, (2006), 140-142.
[Impact Factor: 2.358, Times Cited: 4]
59. K. Sugawara, M. Sakuraba and J. Murota, "Thermal Effect on Strain Relaxation in Ge Films Epitaxially Grown on Si(100) Using ECR Plasma CVD", *Thin Solid Films*, 508, (2006), 143-146.
[Impact Factor: 2.358, Times Cited: 8]
60. J. Uhm, M. Sakuraba and J. Murota, "Strain Relaxation by Stripe Patterning in Si/Si_{1-x}Ge_x/Si(100) Heterostructures", *Thin Solid Films*, 508, (2006), 239-242.
[Impact Factor: 2.358, Times Cited: 15]
61. H.-S. Cho, M. Sakuraba and J. Murota, "Surface Reaction and B Atom Segregation in ECR Chlorine Plasma Etching of B-Doped Si_{1-x}Ge_x Epitaxial Films", *Thin Solid Films*, 508, (2006), 301-304.
[Impact Factor: 2.358, Times Cited: 0]
62. T. Tsuchiya, M. Sakuraba and J. Murota, "Characterization of Hot-Carrier Degraded SiGe/Si-Hetero-PMOSFETs", *Thin Solid Films*, 508, (2006), 326-328.
[Impact Factor: 2.358, Times Cited: 2]
63. A. Yamada, M. Sakuraba and J. Murota, "Photo Detection Characteristics of Si/Si_{1-x}Ge_x/Si p-i-n Diodes Integrated with Optical Waveguides", *Thin Solid Films*, 508, (2006), 399-401.
[Impact Factor: 2.358, Times Cited: 4]
64. J. Murota, M. Sakuraba and B. Tillack, "Atomically Controlled Processing for Group IV Semiconductors by Chemical Vapor Deposition" (**Invited Review Paper**), *Japanese Journal of Applied Physics*, 45, (2006), 6767-6785.
[Impact Factor: 1.491, Times Cited: 82]

65. 竹廣忍, 櫻庭政夫, 室田淳一, 土屋敏章, “Bドーピング SiGe 選択 CVD 成長により形成された極浅ソース・ドレインと高 Ge 比率歪 SiGe ヘテロチャネルを有する高性能 pMOSFET”, 電気学会論文誌 C, 電気学会, 126, (2006), 1079-1082.
[Translated Version in English, Electr. Eng. Jpn., 165(3), (2008), 46-50.]
[Impact Factor: 0.496, Times Cited: 1]
(S. Takehiro, M. Sakuraba, J. Murota and T. Tsuchiya, “High Performance pMOSFETs with High Ge Fraction Strained SiGe-Heterostructure-Channel and Ultrashallow Source/Drain Formed by Selective B-Doped SiGe CVD”, IEEJ Transactions on Electronics, Information and Systems (The Institute of Electrical Engineers of Japan), 126, (2006), 1079-1082, (in Japanese).)
[Impact Factor: 0.17, Times Cited: --]
66. 土屋敏章, 櫻庭政夫, 室田淳一, “SiGe/Si ヘテロ MOSFET におけるホットキャリアによるヘテロ界面準位の発生”, 電気学会論文誌 C, 電気学会, 126, (2006), 1101-1106.
(T. Tsuchiya, M. Sakuraba and J. Murota, “Hetero-Interface-Trap Generation due to Hot Carriers in SiGe/Si-Hetero-MOSFETs”, IEEJ Transactions on Electronics, Information and Systems (The Institute of Electrical Engineers of Japan), 126, (2006), 1101-1106, (in Japanese).)
[Impact Factor: 0.17, Times Cited: --]
67. H. Nitta, M. Sakuraba and J. Murota, “Carbon Doping Effect on Strain Relaxation during $\text{Si}_{1-x-y}\text{Ge}_x\text{C}_y$ Epitaxial Growth on Si(100) at 500 °C”, Semiconductor Science and Technology, 22, (2007), S5-S8.
[Impact Factor: 2.048, Times Cited: 2]
68. J. Uhm, M. Sakuraba and J. Murota, “Strain Control and Electrical Properties of Stripe Patterned Si/Si_{1-x}Ge_x/Si(100) Heterostructures”, Semiconductor Science and Technology, 22, (2007), S33-S37.
[Impact Factor: 2.048, Times Cited: 6]
69. R. Ito, M. Sakuraba and J. Murota, “Hole Tunneling Properties in Resonant Tunneling Diodes with Si/Strained Si_{0.8}Ge_{0.2} Heterostructures Grown on Si(100) by Low-Temperature Ultraclean LPCVD”, Semiconductor Science and Technology, 22, (2007), S38-S41.
[Impact Factor: 2.048, Times Cited: 13]
70. K. Sugawara, M. Sakuraba and J. Murota, “Epitaxial Growth of Highly Strained Si on Relaxed Ge/Si(100) Using ECR Plasma CVD without Substrate Heating”, Semiconductor Science and Technology, 22, (2007), S42-S45.
[Impact Factor: 2.048, Times Cited: 7]
71. Y. Chiba, M. Sakuraba and J. Murota, “Epitaxial Growth of P Atomic Layer Doped Si Film by Alternate Surface Reaction of PH₃ and Si₂H₆ on Strained Si_{1-x}Ge_x/Si(100) in Ultraclean Low Pressure CVD”, Semiconductor Science and Technology, 22, (2007), S118-S122.
[Impact Factor: 2.048, Times Cited: 7]
72. T. Tsuchiya, S. Mishima, M. Sakuraba and J. Murota, “Hot Carrier Degradation of SiGe/Si Heterointerface and Experimental Estimation of Density of Locally Generated Heterointerface Traps”, Japanese Journal of Applied Physics, 46, (2007), 5015-5020.
[Impact Factor: 1.491, Times Cited: 2]
73. N. Akiyama, M. Sakuraba, B. Tillack and J. Murota, “Behavior of N Atoms in Atomic-Order Nitrided Si_{0.5}Ge_{0.5}(100)”, Applied Surface Science, 254, (2008), 6021-6024.
[Impact Factor: 7.392, Times Cited: 6]
74. H. Tanno, M. Sakuraba, B. Tillack and J. Murota, “Heavy Atomic-Layer Doping of B in Low-Temperature Si Epitaxial Growth on Si(100) by Ultraclean Low-Pressure Chemical Vapor Deposition”, Applied Surface Science, 254, (2008), 6086-6089.
[Impact Factor: 7.392, Times Cited: 11]
75. T. Yokogawa, K. Ishibashi, M. Sakuraba, J. Murota, Y. Inokuchi, Y. Kunii and H. Kurokawa, “Self-Limited Growth of Si on B Atomic-Layer Formed Ge(100) by Ultraclean Low-Pressure CVD System”, Applied Surface Science, 254, (2008), 6090-6093.
[Impact Factor: 7.392, Times Cited: 2]

76. T. Seo, M. Sakuraba and J. Murota, “Electrical Characteristics of Hole Resonant Tunneling Diodes with High Ge Fraction ($x > 0.4$) Si/Strained $\text{Si}_{1-x}\text{Ge}_x/\text{Si}(100)$ Heterostructure”, *Applied Surface Science*, 254, (2008), 6265-6267.
[Impact Factor: 7.392, Times Cited: 4]
77. M. Sakuraba, D. Muto, M. Mori, K. Sugawara and J. Murota, “Very Low-Temperature Epitaxial Growth of Silicon and Germanium Using Plasma-Assisted CVD”, *Thin Solid Films*, 517, (2008), 10-13.
[Impact Factor: 2.358, Times Cited: 17]
78. T. Seo, M. Sakuraba and J. Murota, “Impact of Ge Fraction Modulation upon Electrical Characteristics of Hole Resonant Tunneling Diodes with Si/Strained $\text{Si}_{1-x}\text{Ge}_x/\text{Si}(100)$ Heterostructure”, *Thin Solid Films*, 517, (2008), 110-112.
[Impact Factor: 2.358 Times Cited: 7]
79. N. Akiyama, M. Sakuraba, B. Tillack and J. Murota, “Structural Change of Atomic-Order Nitride Formed on $\text{Si}_{1-x}\text{Ge}_x(100)$ and $\text{Ge}(100)$ by Heat Treatment”, *Thin Solid Films*, 517, (2008), 219-221.
[Impact Factor: 2.358, Times Cited: 3]
80. K. Ishibashi, M. Sakuraba, J. Murota, Y. Inokuchi, Y. Kunii and H. Kurokawa, “Si Epitaxial Growth on Self-Limitedly B Adsorbed $\text{Si}_{1-x}\text{Ge}_x(100)$ by Ultraclean Low-Pressure CVD System”, *Thin Solid Films*, 517, (2008), 229-231.
[Impact Factor: 2.358, Times Cited: 1]
81. J. Uhm, M. Sakuraba and J. Murota, “Local Strain in $\text{Si}/\text{Si}_{0.6}\text{Ge}_{0.4}/\text{Si}(100)$ Heterostructures by Stripe-Shape Patterning”, *Thin Solid Films*, 517, (2008), 300-302.
[Impact Factor: 2.358, Times Cited: 6]
82. S. Takehiro, M. Sakuraba, T. Tsuchiya and J. Murota, “High Ge Fraction Intrinsic SiGe-Heterochannel MOSFETs with Embedded SiGe Source/Drain Electrode Formed by In-Situ Doped Selective CVD Epitaxial Growth”, *Thin Solid Films*, 517, (2008), 346-349.
[Impact Factor: 2.358, Times Cited: 4]
83. H. Tanno, M. Sakuraba, B. Tillack and J. Murota, “Heavy B Atomic-Layer Doping Characteristics in Si Epitaxial Growth on B Adsorbed $\text{Si}(100)$ by Ultraclean Low-Pressure CVD System”, *Solid-State Electronics*, 53, (2009), 877-879.
[Impact Factor: 1.916, Times Cited: 11]
84. T. Seo, K. Takahashi, M. Sakuraba and J. Murota, “Improvement in Negative Differential Conductance Characteristics of Hole Resonant-Tunneling Diodes with High Ge Fraction Si/Strained $\text{Si}_{1-x}\text{Ge}_x/\text{Si}(100)$ Heterostructure”, *Solid-State Electronics*, 53, (2009), 912-915.
[Impact Factor: 1.916, Times Cited: 15]
85. K. Sugawara, M. Sakuraba and J. Murota, “Electrical Characteristics of Thermal CVD B-Doped Si Films on Highly Strained Si Epitaxially Grown on $\text{Ge}(100)$ by Plasma CVD without Substrate Heating”, *Thin Solid Films*, 518, (2010), S57-S61.
[Impact Factor: 2.358, Times Cited: 1]
86. T. Kawashima, M. Sakuraba, B. Tillack and J. Murota, “Heavy Atomic-Layer Doping of Nitrogen in $\text{Si}_{1-x}\text{Ge}_x$ Film Epitaxially Grown on $\text{Si}(100)$ by Ultraclean Low-Pressure CVD”, *Thin Solid Films*, 518, (2010), S62-S64.
[Impact Factor: 2.358, Times Cited: 6]
87. T. Nosaka, M. Sakuraba, B. Tillack and J. Murota, “Heavy B Atomic-Layer Doping in Si Epitaxial Growth on $\text{Si}(100)$ Using Electron-Cyclotron-Resonance Plasma CVD”, *Thin Solid Films*, 518, (2010), S140-S142.
[Impact Factor: 2.358, Times Cited: 6]
88. T. Hirano, M. Sakuraba, B. Tillack and J. Murota, “Heavy Carbon Atomic-Layer Doping at $\text{Si}_{1-x}\text{Ge}_x/\text{Si}$ Heterointerface”, *Thin Solid Films*, 518, (2010), S222-S225.
[Impact Factor: 2.358, Times Cited: 5]

89. Y. Chiba, M. Sakuraba, B. Tillack and J. Murota, “Impact of Si Cap Layer Growth on Surface Segregation of P Incorporated by Atomic Layer Doping”, *Thin Solid Films*, 518, (2010), S231-S233.
[Impact Factor: 2.358, Times Cited: 5]
90. M. Sakuraba, K. Sugawara and J. Murota, “Atomically Controlled Plasma Processing for Group IV Quantum Heterostructure Formation”, *Key Engineering Materials*, 470, (2011), 98-103.
[Impact Factor: 0.2, Times Cited: 9]
91. T. Tsuchiya, K. Yoshida, M. Sakuraba and J. Murota, “Capture/Emission Process of Carriers in Heterointerface Traps Observed in the Transient Charge Pumping Characteristics of SiGe/Si-Hetero-Channel pMOSFETs”, *Key Engineering Materials*, 470, (2011), 201-206.
[Impact Factor: 0.2, Times Cited: 0]
92. K. Takahashi, M. Sakuraba and J. Murota, “Fabrication of High-Ge-Fraction Strained Si_{1-x}Ge_x/Si Hole Resonant Tunneling Diode Using Low-Temperature Si₂H₆ Reaction for Nanometer-Order Ultrathin Si Barriers”, *Solid-State Electronics*, 60, (2011), 112-115.
[Impact Factor: 1.916, Times Cited: 14]
93. J. Murota, M. Sakuraba and B. Tillack, “Atomically Controlled Processing in Silicon-Based CVD Epitaxial Growth”, *Journal of Nanoscience and Nanotechnology*, 11, (2011), 8348-8353.
[Impact Factor: ---, Times Cited: 4]
94. J. Murota, M. Sakuraba and B. Tillack, “Atomically controlled CVD processing of group IV semiconductors for ultra-large-scale integrations” (**Review Paper**), *Advances in Natural Sciences: Nanoscience and Nanotechnology*, 3, (2012), 023002 (4 pages).
[Impact Factor: 0.438, Times Cited: --]
95. T. Kawashima, M. Sakuraba, B. Tillack and J. Murota, “Behavior of N Atoms after Thermal Nitridation of Si_{1-x}Ge_x Surface”, *Thin Solid Films*, 520, (2012), 3392–3396.
[Impact Factor: 2.358, Times Cited: 4]
96. A. Ohta, K. Makihara, S. Miyazaki, M. Sakuraba and J. Murota, “X-Ray Photoemission Study of SiO₂/Si/Si_{0.55}Ge_{0.45}/Si Heterostructures”, *IEICE Transactions on Electronics*, E96.C, (2013), 680-685.
[Impact Factor: 0.477, Times Cited: 1]
97. Y. Abe, M. Sakuraba and J. Murota, “Epitaxial Growth of B-Doped Si on Si(100) by Electron-Cyclotron-Resonance Ar Plasma Chemical Vapor Deposition in a SiH₄-B₂H₆-H₂ Gas Mixture without Substrate”, *Thin Solid Films*, 557, (2014), 10-13.
[Impact Factor: 2.358, Times Cited: 4]
98. N. Ueno, M. Sakuraba, S. Sato and J. Murota, “Epitaxial Growth of Si_{1-x}Ge_x Alloys and Ge on Si(100) by Electron-Cyclotron-Resonance Ar Plasma Chemical Vapor Deposition without Substrate Heating”, *Thin Solid Films*, 557, (2014), 31-35.
[Impact Factor: 2.358, Times Cited: 3]
99. T. Kawashima, M. Sakuraba and J. Murota, “Nitrogen Doping Effect upon Hole Tunneling Characteristics of Si Barriers in Si_{1-x}Ge_x/Si Resonant Tunneling Diode”, *Thin Solid Films*, 557, (2014), 302-306.
[Impact Factor: 2.358, Times Cited: 1]
100. S. Sato, H. Akima, K. Nakajima and M. Sakuraba, “Izhikevich neuron circuit using stochastic logic”, *Electronics Letters*, 50, 24, (2014), 1795-1797.
[Impact Factor: 1.202, Times Cited: 0]
101. A.A. Shklyayev, V.I. Vdovin, V.A. Volodin, D.V. Gulyaev, A.S. Kozhukhov, M. Sakuraba and J. Murota, “Structure and optical properties of Si and SiGe layers grown on SiO₂ by chemical vapor deposition”, *Thin Solid Films*, 579, (2015), 131-135.
[Impact Factor: 2.358, Times Cited: 6]
102. T. Ma, D. Tadaki, M. Sakuraba, S. Sato, A. Hirano-Iwata and M. Niwano, “Effects of interfacial chemical states on the performance of perovskite solar cells”, *Journal of Materials Chemistry A*, 4, (2016), 4392-4397.
[Impact Factor: 14.511, Times Cited: 9]

103. Y. Yamamoto, N. Ueno, M. Sakuraba, J. Murota, A. Mai and B. Tillack, “C and Si delta doping in Ge by CH₃SiH₃ using reduced pressure chemical vapor deposition”, *Thin Solid Films*, 602, (2016), 24-28.
[Impact Factor: 2.358, Times Cited: 0]
104. H. Akima, Y. Katayama, M. Sakuraba, K. Nakajima, J. Madrenas and S. Sato, “CMOS majority circuit with large fan-in”, *IEICE Transactions on Electronics*, E99.C, (2016), 1056-1064.
[Impact Factor: 0.477, Times Cited: 0]
105. M. Sakuraba, K. Sugawara, T. Nosaka, H. Akima and S. Sato, “Carrier properties of B atomic-layer-doped Si films grown by ECR Ar plasma-enhanced CVD without substrate heating”, *Science and Technology of Advanced Materials*, 18, (2017), 294-306.
[Impact Factor: 7.662, Times Cited: 0]
106. K. Motegi, N. Ueno, M. Sakuraba, Y. Osakabe, H. Akima and S. Sato, “Electrical Properties and B Depth Profiles of In-Situ B Doped Si Film Grown by ECR Ar Plasma CVD without Substrate Heating”, *Materials Science in Semiconductor Processing*, 70, (2017), 50-54.
[Impact Factor: 4.644, Times Cited: 0]
107. N. Ueno, M. Sakuraba, H. Akima and S. Sato, “Electronic Properties of Si/Si-Ge Alloy/Si(100) Heterostructures Formed by ECR Ar Plasma CVD without Substrate Heating”, *Materials Science in Semiconductor Processing*, 70, (2017), 55-62.
[Impact Factor: 4.644 Times Cited: 0]
108. S. Sasaki, M. Sakuraba, H. Akima and S. Sato, “Silicon-Carbon Alloy Film Formation on Si(100) Using SiH₄ and CH₄ Reaction under Low-Energy ECR Ar Plasma Irradiation”, *Materials Science in Semiconductor Processing*, 70, (2017), 188-192.
[Impact Factor: 4.644, Times Cited: 0]
109. Y. Osakabe, H. Akima, M. Sakuraba, M. Kinjo and S. Sato, “Quantum Associative Memory with Quantum Neural Network via Adiabatic Hamiltonian Evolution”, *IEICE Transactions on Information and Systems*, E100.D, (2017), 2683-2689.
[Impact Factor: 0.695, Times Cited: 0]
110. D. Yamaura, D. Tadaki, S. Araki, M. Yoshida, K. Arata, T. Ohori, K. Ishibashi, M. Kato, T. Ma, R. Miyata, H. Yamamoto, R. Tero, M. Sakuraba, T. Ogino, M. Niwano and A. Hirano-Iwata, “Amphiphobic Septa Enhance the Mechanical Stability of Free-Standing Bilayer Lipid Membranes”, *Langmuir*, 34, (2018), 5615-5622.
[Impact Factor: 4.331, Times Cited: 0]
111. W. Li, M. Sakuraba and S. Sato, “Electron-cyclotron resonance Ar plasma-induced electrical activation of B atoms without substrate heating in B doped Si epitaxial films on Si(100)”, *Materials Science in Semiconductor Processing*, 107, (2020), 104823 (8 pages).
[Impact Factor: 4.644, Times Cited: 0]
112. Y. Dai, H. Yamamoto, M. Sakuraba and S. Sato, “Computational Efficiency of a Modular Reservoir Network for Image Recognition”, *Frontiers in Computational Neuroscience*, 15, (2021), 594337 (9 pages).
[Impact Factor: 3.2, Times Cited: 1]
113. Y. Osakabe, S. Sato, H. Akima, M. Kinjo and M. Sakuraba, “Learning rule for a quantum neural network inspired by Hebbian learning”, *IEICE Transactions on Information and Systems*, E104.D, (2021), 237-245.
[Impact Factor: 0.695, Times Cited: 0]
114. H. Nagasawa, Y. Cho, M. Abe, T. Tanno, M. Musya, M. Sakuraba, Y. Sato and S. Sato, “SNDM Study of the MOS Interface State Densities on the 3C-SiC/4H-SiC Stacked Structure”, *Soild State Phenomena*, 362, (2024), 33-40.
[Impact Factor: 0.232, Times Cited: 0]

115. H. Nagasawa, M. Abe, T. Tanno, M. Musya, M. Sakuraba, S. Sato, Y. Watanabe and M. Suemitsu, “Formation of Alternating Epilayers of 4H-SiC and 3C-SiC by Simultaneous Lateral Epitaxy”, Materials Science Forum, 1157, (2025), 33-41.
[Impact Factor: 0.52, Times Cited: 0]

・ 発表論文－国際会議論文（72件，主要なもののみ掲載）

1. M. Sakuraba, J. Murota and S. Ono, “Atomic Layer Growth of Si in Flash Heating CVD Using SiH₄ Gas” (Oral Presentation), *Proc. of 12th Int. Symp. Chemical Vapor Deposition (CVD-XII)*, Honolulu, Hawaii, May 16-21, 1993 (PV.93-2, Edited by K.F. Jensen and G.W. Cullen, The Electrochem. Soc., Pennington, NJ, 1993), pp.110-116: *Abs. of 183rd Electrochem. Soc. Meeting*, Abs.No.1236, pp.1774-1775.
2. M. Sakuraba, J. Murota and S. Ono, “Stability of the Dimer Structure on the Si Film Epitaxially Grown on Si(100) by Ultraclean Low-Pressure Chemical Vapor Deposition” (Oral Presentation), *Proc. of Int. Conf. Advanced Microelectronic Devices and Processing (AMDP)*, Sendai, Japan, Mar. 3-5, 1994, pp.445-448.
3. T. Watanabe, M. Sakuraba, T. Matsuura and J. Murota, “Atomic-Order Layer Growth of Silicon Nitride Films at Low Temperatures” (Oral Presentation), *Proc. of 13th Int. Conf. Chemical Vapor Deposition (CVD-XIII)*, Los Angeles, California, May 5-10, 1996 (PV.96-5, Edited by T.M. Besmann, M.D. Allendorf, McD. Robinson and R.K. Ulrich, The Electrochem. Soc., Pennington, NJ, 1996), pp.504-509. *Abs. of 189th Electrochem. Soc. Meeting*, pp.1048-1049.
4. M. Ishii, K. Goto, M. Sakuraba, T. Matsuura, J. Murota, Y. Kudoh and M. Koyanagi, “0.1 μ m MOSFET with Super Self-Aligned Shallow Junction Electrodes” (Oral Presentation), *Proc. of 6th Int. Symp. Ultra Large Scale Integration Sci. & Technol.*, Montreal, Quebec, Canada, May 4-9, 1997 (PV.97-3, Edited by H.Z. Massoud, H. Iwai, C. Claeys and R.B. Fair, The Electrochem. Soc., Pennington, NJ, 1997), pp.441-449: *Abs. of 191st Electrochem. Soc. Meeting*, pp.782-783.
5. M. Sakuraba, T. Matsuura and J. Murota, “H-Termination on Ge(100) and Si(100) by Diluted HF Dipping and by Annealing in H₂” (Oral Presentation), *Proc. of 5th Int. Symp. Cleaning Technol. in Semiconductor Device Manufacturing*, Paris, France, Aug. 31-Sep. 5, 1997 (PV.97-35, Edited by J. Ruzyllo and R.E. Novak, The Electrochem. Soc., Pennington, NJ, 1997), pp.213-220: *Abs. of 192nd Electrochem. Soc. Meeting*, pp.2154-2155.
6. T. Watanabe, A. Ichikawa, M. Sakuraba, T. Matsuura and J. Murota, “Atomic-Order Nitridation of the H-Terminated and H-Free Si Surfaces by NH₃” (Oral Presentation), *Proc. of 14th Int. Conf. Chemical Vapor Deposition (CVD-XIV)*, Paris, France, Aug. 31-Sep. 5, 1997 (PV.97-25, Edited by M.D. Allendorf and C. Bernard, The Electrochem. Soc., Pennington, NJ, 1997), pp.97-104: *Abs. of 192nd Electrochem. Soc. Meeting*, pp.2603-2604.
7. C.J. Lee, M. Sakuraba, M. Ishii, T. Matsuura, J. Murota, I. Kawashima and N. Yabumoto, “Phosphorus Doping Effect on Si_{1-x}Ge_x Epitaxial Film Growth in the SiH₄-GeH₄-PH₃ Gas System Using Ultraclean LPCVD” (Oral Presentation), *Proc. of 14th Int. Conf. Chemical Vapor Deposition (CVD-XIV)*, Paris, France, Aug. 31-Sep. 5, 1997 (PV.97-25, Edited by M.D. Allendorf and C. Bernard, The Electrochem. Soc., Pennington, NJ, 1997), pp.1356-1363: *Abs. of 192nd Electrochem. Soc. Meeting*, pp.2802-2803.
8. J. Murota, M. Ishii, K. Goto, M. Sakuraba, T. Matsuura, Y. Kudoh and M. Koyanagi, “Fabrication of 0.1 μ m MOSFET with Super Self-Aligned Ultrashallow Junction Electrodes Using Selective Si_{1-x}Ge_x CVD” (Oral Presentation), *Proc. of 27th Euro. Solid-State Device Res. Conf. (ESSDRC)*, Stuttgart, Germany, Sep. 22-24, 1997, pp.376-379.
9. A. Moriya, M. Sakuraba, T. Matsuura, J. Murota, I. Kawashima and N. Yabumoto, “Low-Temperature Epitaxial Growth of In-Situ Heavily B-Doped Si_{1-x}Ge_x Films Using Ultraclean LPCVD” (Oral Presentation), *Mat. Res. Soc. Symp. Proc. of Symp. FF: Epitaxy and Applications of Si-Based Heterostructures*, San Francisco, California, Apr. 13-17, 1998, (Vol.533, 1998) pp.349-354: *Abs. of 1998 Mat. Res. Soc. Spring Meeting*, Abs.FF9.8, p.490.
10. J. Murota, A. Moriya, M. Sakuraba, C.J. Lee and T. Matsuura, “In-Situ Heavy Doping of P and B in Low-Temperature Si_{1-x}Ge_x Epitaxial Growth Using Ultraclean LPCVD” (Oral Presentation), *Proc. of 8th Int. Symp. Silicon Materials Sci. & Technol.*, San Diego, California, May 3-8, 1998 (PV.98-1, Edited by H.R. Huff, H. Tsuya and U. Gosele, The Electrochem. Soc., Pennington, NJ, 1998), pp.822-833: *Abs. of 193rd Electrochem. Soc. Meeting*, Abs.No.336.

11. Y. Shimamune, M. Sakuraba, T. Matsuura and J. Murota, "Atomic-Layer Adsorption of P on Si(100) by Using Ultraclean LPCVD" (Oral Presentation), *Proc. of Symp. Fundamental Gas-Phase and Surface Chemistry of Vapor-Phase Materials Synthesis*, Boston, Massachusetts, Nov. 1-6, 1998 (PV.98-23, Edited by M.D. Allendorf, M.R. Zachariah, L. Mountziaris and A.H. McDaniel, The Electrochem. Soc., Pennington, NJ, 1998), pp.58-62: *Abs. of 194th Electrochem. Soc. Meeting*, Abs.No.784.
12. T. Watanabe, M. Sakuraba, T. Matsuura and J. Murota, "Atomic-Layer Nitridation of Si(100) by NH₃ Using Flash Heating" (Oral Presentation), *Proc. of Symp. Fundamental Gas-Phase and Surface Chemistry of Vapor-Phase Materials Synthesis*, Boston, Massachusetts, Nov. 1-6, 1998 (PV.98-23, Edited by M.D. Allendorf, M.R. Zachariah, L. Mountziaris and A.H. McDaniel, The Electrochem. Soc., Pennington, NJ, 1998), pp.69-74: *Abs. of 194th Electrochem. Soc. Meeting*, Abs.No.806.
13. M. Sakuraba, T. Matsuura and J. Murota, "Surface Termination of the Ge(100) and Si(100) Surfaces by Using DHF Solution Dipping" (Oral Presentation), *Mat. Res. Soc. Symp. Proc. of Symp. I: III-V and SiGe Group IV Device/IC Processing Challenges for Commercial Applications*, Boston, Massachusetts, Nov. 30-Dec. 4, 1998 (Vol.535, 1999), pp.281-286: *Abs. of 1998 Mat. Res. Soc. Fall Meeting*, Abs.No.II.6.
14. S. Kobayashi, M. Iizuka, T. Aoki, N. Mikoshiba, M. Sakuraba, T. Matsuura and J. Murota, "Phosphorus Diffusion from Doped Si_{1-x}Ge_x Film into Silicon" (Oral Presentation), *Mat. Res. Soc. Symp. Proc. of Symp. S: Si Front-End Processing-Physics and Technology of Dopant-Defect Interactions*, San Francisco, California, Apr. 5-9, 1999 (Vol.568, 1999), pp.265-269: *Abs. of 1999 Mat. Res. Soc. Spring Meeting*, Abs.No.S9.2, pp.301-302.
15. J. Murota, M. Sakuraba and T. Matsuura, "High Quality Si_{1-x}Ge_x Epitaxial Growth by CVD" (**Invited Paper**), *Proc. of 3rd Int. Symp. Defects in Silicon*, Seattle, Washington, May 2-6, 1999 (PV.99-1, Edited by T. Abe, W.M. Bullis, S. Kobayashi, W. Lin and P. Wagner, The Electrochem. Soc., Pennington, NJ, 1999), pp.189-202: *Abs. of 195th Electrochem. Soc. Meeting*, Abs.No.332.
16. J. Murota, M. Sakuraba and T. Matsuura, "CVD Si_{1-x}Ge_x Epitaxial Growth and Its Application to MOS Devices" (**Invited Paper**), *Proc. of SPIE Conf. Microelectronic Device Technol. III, The Int. Society for Optical Eng.*, Santa Clara, California, Sep. 22-23, 1999, Vol.3881, pp.33-45.
17. T. Kikuchi, T. Yamashiro, A. Moriya, T. Noda, Y. Yamamoto, C. Deng, M. Sakuraba, T. Matsuura and J. Murota, "Super Self-Aligned Processing for Sub 0.1 μ m MOS Devices Using Selective Si_{1-x}Ge_x CVD" (Oral Presentation), *Proc. of Symp. L1: 1st Int. Symp. ULSI Process Integration*, Honolulu, Hawaii, Oct. 17-22, 1999 (PV.99-18, Edited by C.L. Claeys, H. Iwai, G. Bronner and R. Fair, The Electrochem. Soc., Pennington, NJ, 1999), pp.147-153: *Abs. of 196th Electrochem. Soc. Meeting*, Abs.No.1334.
18. J. Murota, M. Sakuraba and T. Matsuura, "CVD SiGe(C) Epitaxial Growth and Its Application to MOS Devices" (**Invited Paper**), *Proc. of 6th Int. Conf. Solid-State and Integrated-Circuit Technol. (ICSICT)*, Shanghai, China, Oct. 22-25, 2001, Vol.1, pp.525-530.
19. Y. Jeong, M. Sakuraba, T. Matsuura and J. Murota, "Si Epitaxial Growth on the Atomic-Order Nitrided Si(100) Surface in SiH₄ Reaction" (Oral Presentation), *Proc. of 2001 Int. Conf. Rapid Thermal Processing for Future Semiconductor Devices (RTP2001)*, Ise-Shima, Mie, Japan, Nov. 14-16, 2001, pp.83-84.
20. Y. Shimamune, M. Sakuraba, T. Matsuura and J. Murota, "Heavy Doping Characteristics of Si Films Epitaxially Grown at 450°C by Alternately Supplied PH₃ and SiH₄" (Oral Presentation), *Proc. of 2001 Int. Conf. Rapid Thermal Processing for Future Semiconductor Devices (RTP2001)*, Ise-Shima, Mie, Japan, Nov. 14-16, 2001, pp.85-86.
21. J. Murota, T. Matsuura and M. Sakuraba, "Atomically Controlled Processing for Group IV Semiconductors" (Oral Presentation), *Proc. of 6th Symp. Atomic-Scale Surface and Interface Dynamics*, Tokyo, Mar. 1, 2002 (The Japan Soc. for the Promotion of Sci.), pp.107-115.
22. Y. Jeong, M. Sakuraba, T. Matsuura and J. Murota, "Si Epitaxial Growth on the Atomic-Order Nitrided Si(100) Surface in SiH₄ Reaction" (Oral Presentation), *Proc. of 6th Symp. Atomic-Scale Surface and Interface Dynamics*, Tokyo, Mar. 1, 2002 (The Japan Soc. for the Promotion of Sci.), pp.151-154.
23. Y. Jeong, M. Sakuraba, T. Matsuura and J. Murota, "Atomic-Layer Doping of N in Si Epitaxial Growth on Si(100) and Its Thermal Stability" (Oral Presentation), *Proc. of Symp. N1: 9th Int. Symp. Silicon Materials Sci. & Technol.*, Philadelphia, PA, May 12-17, 2002 (PV.2002-2, Edited by H.R. Huff, L. Fabry

- and S. Kishino, The Electrochem. Soc., Pennington, NJ, 2002), pp.287-296: *Abs. of Electrochem. Soc. Meeting*, Abs.No.574.
24. M. Mori, T. Seino, D. Muto, M. Sakuraba, T. Matsuura and J. Murota, "Si Epitaxial Growth on Atomic-Order Nitrided Si(100) Using an ECR Plasma" (Oral Presentation), *Proc. of Symp. J1: Int. Symp. on Plasma Processing XIV*, Philadelphia, PA, May 12-17, 2002 (PV.2002-17, Edited by G. S. Mathad, The Electrochem. Soc., Pennington, NJ, 2002), pp.17-24: *Abs. of Electrochem. Soc. Meeting*, Abs.No.402.
 25. J. Murota, M. Sakuraba and S. Takehiro, "Atomically Controlled Processing for SiGe-Based Ultimate-Small Devices" (**Invited Paper**), *Proc. of 22nd Electronic Materials Symp. (EMS-22)*, Biwako, Jul. 2-4, 2003, pp.39-42.
 26. J. Murota, M. Sakuraba and S. Takehiro, "Atomically Controlled Processing for Future Si-Based Devices" (**Invited Paper**), *Proc. of 2004 IEEE Workshop on Microelectronics and Electron Devices (WMED)*, Boise, Idaho, Apr. 16, 2004, pp.31-34.
 27. T. Tsuchiya, M. Sakuraba and J. Murota, "Hot Carrier Reliability of a SiGe/Si Hetero-Interface in SiGe MOSFETs" (Oral Presentation), *Proc. of IEEE Int. Reliability Physics Symp. (IRPS)*, Phoenix, Apr. 25-29, 2004, pp.449-454.
 28. J. Murota and M. Sakuraba, "Low-Temperature SiGe(C) Epitaxial Growth by Ultraclean Hot-Wall Low-Pressure CVD" (**Invited Paper**), *Proc. of Symp. M2: SiGe: Materials Processing and Device*, Honolulu, Hawaii, Oct. 3-8, 2004 (PV.2004-07, Edited by D. Harame, J. Boquet, J. Cressler, D. Houghton, H. Iwai, T.-J. King, G. Masini, J. Murota, K. Rim, B. Tillack, The Electrochem. Soc., Pennington, NJ, 2004), pp.825-836: *Abs. of 206th Electrochem. Soc. Meeting*, Abs.No.1364.
 29. H.-S. Cho, S. Takehiro, M. Sakuraba and J. Murota, "Sidewall Protection by Nitrogen in Anisotropic Etching of P-doped Poly-Si_{1-x}Ge_x" (Oral Presentation), *Proc. of Symp. M2: SiGe: Materials Processing and Device*, Honolulu, Hawaii, Oct. 3-8, 2004 (PV.2004-07, Edited by D. Harame, J. Boquet, J. Cressler, D. Houghton, H. Iwai, T.-J. King, G. Masini, J. Murota, K. Rim, B. Tillack, The Electrochem. Soc., Pennington, NJ, 2004), pp.243-250: *Abs. of 206th Electrochem. Soc. Meeting*, Abs.No.1307.
 30. H. Shim, M. Sakuraba and J. Murota, "Electrical Properties of B-doped Polycrystalline Si_{1-x-y}Ge_xC_y Film Deposited by Ultraclean Low-pressure CVD" (Oral Presentation), *Proc. of Symp. M2: SiGe: Materials Processing and Device*, Honolulu, Hawaii, Oct. 3-8, 2004 (PV.2004-07, Edited by D. Harame, J. Boquet, J. Cressler, D. Houghton, H. Iwai, T.-J. King, G. Masini, J. Murota, K. Rim, B. Tillack, The Electrochem. Soc., Pennington, NJ, 2004), pp.261-268: *Abs. of 206th Electrochem. Soc. Meeting*, Abs.No.1309.
 31. K. Takahashi, T. Kobayashi, M. Sakuraba and J. Murota, "C Atomic Order Doping at Si/Si_{1-x}Ge_x/Si Heterointerface and Improvement of Thermal Stability" (Oral Presentation), *Proc. of Symp. M2: SiGe: Materials Processing and Device*, Honolulu, Hawaii, Oct. 3-8, 2004 (PV.2004-07, Edited by D. Harame, J. Boquet, J. Cressler, D. Houghton, H. Iwai, T.-J. King, G. Masini, J. Murota, K. Rim, B. Tillack, The Electrochem. Soc., Pennington, NJ, 2004), pp.915-922: *Abs. of 206th Electrochem. Soc. Meeting*, Abs.No.1373.
 32. J. Murota, M. Sakuraba and B. Tillack, "Atomically Controlled Impurity Doping for Future Si-Based Devices" (**Invited Paper**), *Proc. of 2004 Int. Conf. on Solid-State and Integrated-Circuit Technol. (ICSICT)*, Beijing, China, Oct. 18-21, 2004, pp.557-562.
 33. J. Murota, M. Sakuraba and B. Tillack, "Atomically Controlled CVD Technology for Future Si-Based Devices" (**Invited Paper**), *Proc. of Symp. L1: ULSI Process Integration IV*, Quebec City, Canada, May 15-20, 2005 (PV.2005-06, Edited by F. Gonzalez, J. Borland, D. Buchanan, C. Claeys and S. Zaima, The Electrochem. Soc., Pennington, NJ, 2005), pp.53-66: *Abs. of 207th Electrochem. Soc. Meeting*, Abs.No.691.
 34. T. Tsuchiya, M. Sakuraba and J. Murota, "Quantitative Evaluation of the Interface Trap Density in Nanometer-Thick SiGe/Si Heterostructures by Low-Temperature Charge-Pumping Technique" (**Invited Paper**), *Proc. of 13th Int. Workshop on The Physics of Semiconductor Devices (IWPSD-2005)*, New Delhi, India, Dec. 13-17, 2005, pp.1171-1175.
 35. S. Matsumoto, S. R. Aid, S. Seto, K. Toyonaga, Y. Nakabayashi, M. Sakuraba, Y. Shimamune, Y. Hashiba, J. Murota, K. Wada and T. Abe, "Silicon Self-Diffusion in Heavily B-Doped Si Using Highly Pure ³⁰Si Epitaxial Layer" (Oral Presentation), *Proc. of Symp. K2: Silicon Materials Science and Technology X*,

- Denver, Colorado, May 7-12, 2006 (ECS Trans., Vol.2, No.2, Edited by H. Huff, L. Fabry, D. Gilles, U. Goesele, T. Hattori, W. Huber, S. Ikeda, H. Iwai, P. Packan, H. Richter, M. Rodder, E. Weber and R. Wise, The Electrochem. Soc., Pennington, NJ, 2006), pp.287-297: *Abs. of 209th Electrochem. Soc. Meeting*, Abs.No.528.
36. J. Murota, M. Sakuraba and B. Tillack, "Atomically Controlled Processing for Future Si-Based Devices" (Oral Presentation), *2006 Advanced Research Workshop on "Future Trends in Microelectronics (FTM-5): Up the Nano Creek"*, Crete, Greece, Jun. 26-30, 2006: "Future Trends in Microelectronics –Up the Nano Creek–" (Edited by S. Luryi, J. Xu and A. Zaslavsky, John Wiley & Sons, Inc., Hoboken, NJ, 2007), pp.246-258.
 37. T. Tsuchiya, M. Sakuraba and J. Murota, "Quantitative Evaluation of Interface Traps in a Nanometer-Thick SiGe/Si Heterostructure in Hetero MOS Devices" (**Invited Paper**), *Proc. of 2006 Asia-Pacific Workshop on Fundamentals and Applications of Advanced Semiconductor Devices*, Sendai, Japan, Jul. 3-5, 2006, (IEICE Technical Report, The Institute of Electronics, Information and Communication Engineers), ED2006-61, SDM2006-69 (2006-7), pp.21-24.
 38. J. Murota, M. Sakuraba and B. Tillack, "Atomically Controlled CVD Technology for Group IV Semiconductors" (**Invited Paper**), *Proc. of 8th Int. Conf. on Solid-State and Integrated-Circuit Technol. (ICSICT 2006)*, Shanghai, China, Oct. 23-26, 2006, No.B3.2, pp.440-443.
 39. J. Uhm, M. Sakuraba and J. Murota, "Strain Control of Stripe Patterned Si/Si_{1-x}Ge_x/Si Heterostructures" (Oral Presentation), *Proc. of Symp. E13: SiGe and Ge: Materials, Processing, and Devices*, Cancun, Mexico, Oct. 29-Nov. 3, 2006 (ECS Trans., Vol.3, No.7, Edited by D. Harame, J. Boquet, J. Cressler, K. Rim, B. Tillack, M. Caymax, G. Masini, A. Reznicek, S. Koester, S. Zaima, The Electrochem. Soc., Pennington, NJ, 2006), pp.421-427: *Abs. of 210th Electrochem. Soc. Meeting*, Abs.No.6.3.
 40. K. Ishibashi, M. Sakuraba, J. Murota, Y. Inokuchi, Y. Kunii and H. Kurokawa, "A Study on B Atomic Layer Formation for B-Doped Si_{1-x}Ge_x(100) Epitaxial Growth Using Ultraclean LPCVD System" (Oral Presentation), *Proc. of Symp. E13: SiGe and Ge: Materials, Processing, and Devices*, Cancun, Mexico, Oct. 29-Nov. 3, 2006 (ECS Trans., Vol.3, No.7, Edited by D. Harame, J. Boquet, J. Cressler, K. Rim, B. Tillack, M. Caymax, G. Masini, A. Reznicek, S. Koester, S. Zaima, The Electrochem. Soc., Pennington, NJ, 2006), pp.861-866: *Abs. of 210th Electrochem. Soc. Meeting*, Abs.No.14.4.
 41. N. Akiyama, M. Sakuraba and J. Murota, "Atomic-Order Thermal Nitridation of Si_{1-x}Ge_x(100) at Low Temperatures by NH₃" (Oral Presentation), *Proc. of Symp. E13: SiGe and Ge: Materials, Processing, and Devices*, Cancun, Mexico, Oct. 29-Nov. 3, 2006 (ECS Trans., Vol.3, No.7, Edited by D. Harame, J. Boquet, J. Cressler, K. Rim, B. Tillack, M. Caymax, G. Masini, A. Reznicek, S. Koester, S. Zaima, The Electrochem. Soc., Pennington, NJ, 2006), pp.1205-1210: *Abs. of 210th Electrochem. Soc. Meeting*, Abs.No.20.4.
 42. J. Murota, J. Uhm and M. Sakuraba, "Strain Control of Si and Si_{1-x}Ge_x Layers in the Si/Si_{1-x}Ge_x/Si Heterostructures by Stripe-Shape Patterning for Future Si-Based Devices" (**Invited Paper**), *Proc. of Symp. E9: ULSI Process Integration 5*, Washington, DC, USA, Oct. 7-12, 2007 (ECS Trans., Vol.11, No. 6, Edited by C. Claeys, H. Iwai, M. Tao, J. Murota, J. J. Liou, S. Deleonibus, The Electrochem. Soc., Pennington, NJ, 2007), pp.91-99: *Abs. of 212th Electrochem. Soc. Meeting*, Abst.No.1280.
 43. M. Sakuraba, R. Ito, T. Seo and J. Murota, "Fabrication of Hole Resonant Tunneling Diodes with Nanometer Order Heterostructures of Si/Strained Si_{1-x}Ge_x Epitaxially Grown on Si(100)" (**Invited Paper**), *Proc. of Symp. E9: ULSI Process Integration 5*, Washington, DC, USA, Oct. 7-12, 2007 (ECS Trans., Vol.11, No. 6, Edited by C. Claeys, H. Iwai, M. Tao, J. Murota, J. J. Liou, S. Deleonibus, The Electrochem. Soc., Pennington, NJ, 2007), pp.131-139: *Abs. of 212th Electrochem. Soc. Meeting*, Abst.No.1283.
 44. J. Murota and M. Sakuraba, "Atomically Controlled Processing for Group-IV Semiconductors" (**Invited Paper**), *Proc. of 2009 Int. Conf. on Semiconductor Technology for Ultra Large Scale Integrated Circuits and Thin Film Transistors (ULSIC vs. TFT)*, Xi'an, China, Jul. 5-10, 2009, (ECS Trans., Vol.22, No.1, Edited by Y. Kuo, The Electrochem. Soc., Pennington, NJ, 2009), pp.111-120.
 45. J. Murota, M. Sakuraba and B. Tillack, "Atomically Controlled CVD Processing for Doping of Si-Based Group IV Semiconductors" (**Invited Paper**), *Proc. of Symp. E10: ULSI Process Integration 6*, Vienna,

- Austria, Oct. 4-9, 2009 (ECS Trans., Vol.25, No.7, Edited by C. Claeys, H. Iwai, M. Tao, S. Deleonibus, J. Murota, The Electrochem. Soc., Pennington, NJ, 2009), pp.177-184: *Abs. of 216th Electrochem. Soc. Meeting*, Abs.No.2360.
46. M. Sakuraba, K. Sugawara and J. Murota, "Atomically Controlled Plasma Processing for Epitaxial Growth of Group IV Semiconductor Nanostructures" (Oral Presentation), *Proc. of Symp. E10: ULSI Process Integration 6*, Vienna, Austria, Oct. 4-9, 2009 (ECS Trans., Vol.25, No.7, Edited by C. Claeys, H. Iwai, M. Tao, S. Deleonibus, J. Murota, The Electrochem. Soc., Pennington, NJ, 2009), pp.229-236: *Abs. of 216th Electrochem. Soc. Meeting*, Abst.No.2367.
 47. M. Sakuraba, K. Takahashi and J. Murota, "Room-Temperature Resonant Tunneling Diode with High-Ge-Fraction Strained Si_{1-x}Ge_x and Nanometer-Order Ultrathin Si" (Oral Presentation), *Proc. of Symp. E14-E22: SiGe, Ge, and Related Compounds: Materials, Processing, and Devices 4*, Las Vegas, USA, Oct. 10-15, 2010 (ECS Trans., Vol.33, No.6, Edited by D. Hara, J. Boquet, M. Östling, Y. C. Yeo, G. Masini, M. Caymax, T. Krishnamohan, B. Tillack, S. Bedell, S. Miyazaki, A Reznicek and S. Koester, The Electrochem. Soc., Pennington, NJ, 2010), pp.379-387: *Abs. of 218th Electrochem. Soc. Meeting*, Abs.No.1895.
 48. J. Murota, M. Sakuraba and B. Tillack, "Atomically Controlled Processing in Strained Si-Based CVD Epitaxial Growth" (**Invited Paper**), *Proc. of 10th IEEE Int. Conf. on Solid-State and Integrated Circuit Technology (ICSICT-2010)*, Shanghai, China, Nov. 1-4, 2010, Proc.No.I12_05.
 49. M. Sakuraba and J. Murota, "Atomically Controlled Plasma Processing for Epitaxial Growth of Group IV Semiconductors" (**Invited Paper**), *Proc. of 10th IEEE Int. Conf. on Solid-State and Integrated Circuit Technology (ICSICT-2010)*, Shanghai, China, Nov. 1-4, 2010, Proc.No.I12_07.
 50. J. Murota, M. Sakuraba and Bernd Tillack, "Atomically Controlled CVD Processing for Doping in Future Si-Based Devices" (**Invited Paper**), *Proc. of 2011 Int. Conf. on Semiconductor Technology for Ultra Large Scale Integrated Circuits and Thin Film Transistors (ULSIC vs. TFT)*, Hong Kong, China, Jun. 26-Jul. 1, 2011 (ECS Trans., Vol.37, No.1, Edited by Y. Kuo and G. Bersuker, The Electrochem. Soc., Pennington, NJ, 2011), pp.181-188.
 51. M. Sakuraba and J. Murota, "Atomically Controlled Formation of Strained Si_{1-x}Ge_x/Si Quantum Heterostructure for Room-Temperature Resonant Tunneling Diode" (Oral Presentation), *Proc. of Symp. E9: ULSI Process Integration 7*, Boston, USA, Oct. 9-14, 2011 (ECS Trans., Vol.41, No.7, Edited by C. Claeys, H. Iwai, M. Tao, S. Deleonibus, J. Murota, The Electrochem. Soc., Pennington, NJ, 2011), pp. 309-314: *Abs. of 220th Electrochem. Soc. Meeting*, Abs.No.2147.
 52. M. Sakuraba and J. Murota, "Atomically Controlled Plasma Processing for Quantum Heterointegration of Group IV Semiconductors" (Oral Presentation), *Proc. of Symp. E9: ULSI Process Integration 7*, Boston, USA, Oct. 9-14, 2011 (ECS Trans., Vol.41, No.7, Edited by C. Claeys, H. Iwai, M. Tao, S. Deleonibus, J. Murota, The Electrochem. Soc., Pennington, NJ, 2011), pp. 337-343: *Abs. of 220th Electrochem. Soc. Meeting*, Abs.No.2152.
 53. J. Murota, T. Kikuchi, J. Hasegawa and M. Sakuraba, "Strain Control of Si and Si_{1-x-y}Ge_xC_y Layers in Si/Si_{1-x-y}Ge_xC_y/Si Heterostructures by Low-Pressure Chemical Vapor Deposition" (**Invited Paper**), *Proc. of Symp. E17: SiGe, Ge, and Related Compounds: Materials, Processing, and Devices 5*, Hawaii, USA, Oct. 7-12, 2012 (ECS Trans., Vol.50, No.9, Edited by D. Hara, M. Caymax, T. Krishnamohan, G. Masini, S. Miyazaki, G. Niu, A. Reznicek, K. Saraswat, B. Tillack, B. Vincent, Y. C. Yeo, and K. Uchida, The Electrochem. Soc., Pennington, NJ, 2012), pp.245-254: *Abs. of 222nd Electrochem. Soc. Meeting*, Abs.No.3125.
 54. J. Murota, M. Sakuraba and B. Tillack, "Atomically Controlled CVD Processing of Group IV Semiconductors for Strain Engineering and Doping in Ultralarge Scale Integration" (**Invited Paper**), *Proc. of 4th Int. Conf. on Semiconductor Technology for Ultra Large Integrated Circuits and Thin Film Transistors (ULSIC vs. TFT 4)*, Grenoble, France July 7-12, 2013 (ECS Trans., Vol.54, No.1, Edited by Y. Kuo, The Electrochem. Soc., Pennington, NJ, 2013), pp.55-64.
 55. M. Sakuraba and J. Murota, "Group-IV Semiconductor Quantum Heterointegration by Low-Energy Plasma CVD Processing" (**Invited Paper**), *Proc. of Symp. E12: ULSI Process Integration 8*, San Francisco, USA, Oct. 27-Nov. 1, 2013 (ECS Trans., Vol.58, No.9, Edited by C. Claeys, H. Iwai, M. Tao, S. Deleonibus, J. Murota, The Electrochem. Soc., Pennington, NJ, 2013), pp.195-200: *Abs. of 224th*

Electrochem. Soc. Meeting, Abs.No.2226.

56. N. Ueno, M. Sakuraba, J. Murota and S. Sato, "Formation and Characterization of Strained Si_{1-x}Ge_x Films Epitaxially Grown on Si(100) by Low-Energy ECR Ar plasma CVD without Substrate Heating" (Oral Presentation), *Proc. of Symp. E12: ULSI Process Integration 8*, San Francisco, USA, Oct. 27-Nov. 1, 2013 (ECS Trans., Vol.58, No.9, Edited by C. Claeys, H. Iwai, M. Tao, S. Deleonibus, J. Murota, The Electrochem. Soc., Pennington, NJ, 2013), pp.207-211: *Abs. of 224th Electrochem. Soc. Meeting*, Abs.No.2228.
57. Y. Abe, S. Kubota, M. Sakuraba, J. Murota and S. Sato, "Epitaxial Growth of Heavily B-Doped Si and Ge Films on Si(100) by Low-Energy ECR Ar Plasma CVD without Substrate Heating" (Oral Presentation), *Proc. of Symp. E12: ULSI Process Integration 8*, San Francisco, USA, Oct. 27-Nov. 1, 2013 (ECS Trans., Vol.58, No.9, Edited by C. Claeys, H. Iwai, M. Tao, S. Deleonibus, J. Murota, The Electrochem. Soc., Pennington, NJ, 2013), pp.223-228: *Abs. of 224th Electrochem. Soc. Meeting*, Abs.No.2230.
58. N. Ueno, M. Sakuraba and S. Sato, "Surface Reaction in Thin Film Formation of Si_{1-x}Ge_x Alloys on Si(100) by Electron-Cyclotron-Resonance Ar Plasma Chemical Vapor Deposition without Substrate Heating" (Oral Presentation), *Proc. of Symp. P7: SiGe, Ge, and Related Compounds: Materials, Processing, and Devices 6*, Cancun, Mexico, Oct. 6-9, 2014 (ECS Trans., Vol.64, No.6, Edited by D. L. Harnme, M. Caymax, M. Heyns, G. Masini, S. Miyazaki, G. Niu, A. Reznicek, K. C. Saraswat, B. Tillack, B. Vincent, Y. C. Yeo, A. Ogura, J. Murota, The Electrochem. Soc., Pennington, NJ, 2014), pp.99-105: *Abs. of 226th Electrochem. Soc. Meeting*, Abs.No.1768.
59. W. Li, S. Sato, H. Akima and M. Sakuraba, "Hydrogen Atom Desorption Induced by Electron Bombardment on Si Surface" (Oral Presentation), *Proc. of Symp. E04: Semiconductors, Metal Oxides, and Composites: Metallization and Electrodeposition of Thin Films and Nanostructures 3*, Phoenix, Arizona, Oct. 11-15, 2015 (ECS Trans., Vol.69, No.31 Edited by J. Fransaeer, P. M. Vereecken, G. Oskam, The Electrochem. Soc., Pennington, NJ, 2015), pp.35-38: *Abs. of 228th Electrochem. Soc. Meeting*, Abs.No.943.
60. H. Akima, S. Kawakami, J. Madrenas, S. Moriya, M. Yano, K. Nakajima, M. Sakuraba and S. Sato, "Complexity Reduction of Neural Network Model for Local Motion Detection in Motion Stereo Vision" (Oral Presentation), *Proc. of Int. Conf. on Neural Information Processing (ICONIP 2017)*, Guangzhou, China, Nov. 14-18, 2017, pp.830-839.
61. Y. Osakabe, S. Sato, H. Akima, M. Sakuraba and M. Kinjo, "Neuro-inspired Quantum Associative Memory Using Adiabatic Hamiltonian Evolution" (Oral Presentation), *Proc. of Int. Joint Conf. on Neural Networks (IJCNN 2017)*, Anchorage, Alaska, USA, May 14-19, 2017, pp.803-807.
62. Y. Tamura, S. Moriya, T. Kato, M. Sakuraba, Y. Horio and S. Sato, "An Izhikevich Model Neuron MOS Circuit for Low Voltage Operation" (Oral Presentation), *Proc. Artificial Neural Networks and Machine Learning – ICANN 2019: Theoretical Neural Computation (Conf. Proc. of 28th Int. Conf. on Artificial Neural Networks, Part I)*, Munich, Germany, Sep. 17-19, 2019, pp.718-723.
63. S. Sato, Y. Tamura, S. Moriya, H. Yamamoto, M. Sakuraba, Y. Horio, J. Madrenas, "Analog CMOS Implementation of a Spiking Neuron Circuit for Edge Computing" (Oral Presentation), *Proc. Int. Symp. on Nonlinear Theory and Its Applications (NOLTA 2020)*, Virtual online, Nov. 16-19, 2020, No. A3L-C-1, p. 76.
64. Y. Sato, S. Watanabe, M. Sakuraba and S. Sato, "Fabrication Process of Double-Implanted Metal-Oxide-Semiconductor Field Effect Transistor of 4H-SiC Utilizing Wet Oxidation" (Short Oral & Poster Presentation), *13th Int. Workshop on New Group IV Semiconductor Nanoelectronics*, Sendai, Japan, Jan. 23-24, 2023, Abs. No. P-07, pp. 35-36.
65. H. Nagasawa, Y. Cho, M. Abe, T. Tanno, M. Musya, M. Sakuraba, Y. Sato and S. Sato, "SNDM study of MOS interface state densities on 3C-SiC and 4H-SiC stacked structure" (Oral Presentation), *Int. Conf. on Silicon Carbide and Related Materials (ICSCRM 2023)*, Sorrento, Italy, Sep. 19-22, 2023, Session: Process 2: MOS II, Sep. 19, 2023, 11:40-12:00.
66. Y. Cho, H. Nagasawa, M. Sakuraba and S. Sato, "SNDM Study on Cubic and Hexagonal Epitaxially Stacked SiC MOS Interfaces" (Poster Presentation), *2023 MRS Fall Meeting & Exhibit*, Boston, USA, Nov. 26-Dec. 1, 2023, Symp. CH01: Advanced Characterization Methods of Energy Material

Applications, Nov. 28, 2023, 20:00-22:00, Poster No. CH01.08.31.

67. H. Nagasawa, Y. Cho, M. Abe, T. Tanno, M. Musya, M. Sakuraba, Y. Sato, S. Sato, “SNDM study of MOS interface state densities on 3C-SiC and 4H-SiC stacked structure” (Short Oral & Poster Presentation), *14th Int. Workshop on New Group IV Semiconductor Nanoelectronics*, Sendai, Japan, Dec. 14-15, 2023, Abs. No. P-09, pp. 51-52.
68. H. Nagasawa, M. Abe, T. Tanno, M. Musya, M. Sakuraba, S. Sato, Y. Watanabe and M. Suemitsu, “Formation of alternating epilayers of 4H-SiC and 3C-SiC by simultaneous lateral epitaxy” (Oral Presentation), *Int. Conf. on Silicon Carbide and Related Materials (ICSCRM 2024)*, Raleigh, USA, Sep. 29 - Oct. 4, 2024, Session 19A: Epitaxial Growth 3, October 4, 2024, 9:10-9:30.
69. M. Sakuraba, T. Oki, S. Watanabe, S. Sato, I. Morita, T. Ueno, S. Sato, H. Nagasawa, Y. Watanabe and , M. Suemitsu, “Characterization of Al-Gate MOS Capacitor on Thermally-Oxidized 3C/4H Hybrid Polytype-Heterostructure Si-Face SiC(0001) Wafer Fabricated by Simultaneous Lateral Epitaxy (SLE) Method” (Oral Presentation), *Int. Conf. on Silicon Carbide and Related Materials (ICSCRM 2025)*, Busan, Korea, Sep. 14-19, 2025, Session 10A-2, pp.269-270.
70. M. Sakuraba, S. Sato and H. Nagasawa, “Development of High-Performance Group-IV Semiconductor Devices for Robust Neuromorphic Computing Integrated Circuits” (**Invited Paper**), *16th Int. Workshop on New Group IV Semiconductor Nanoelectronics (Satellite workshop of ICSI/ISTDM 2025)*, Sendai, Japan, Nov. 17-18, 2025, Abst, No. I-14, pp.27-28.
71. S. Sato, M. Sakuraba and S. Sato, “Fabrication Process of Heavily-Doped Si Tunnel Diodes for Achieving Negative Differential Resistance for Neuromorphic Computing” (Short Oral & Poster Presentation), *16th Int. Workshop on New Group IV Semiconductor Nanoelectronics (Satellite workshop of ICSI/ISTDM 2025)*, Sendai, Japan, Nov. 17-18, 2025, Abst, No. P-01, pp.41-42.
72. T. Ueno, M. Sakuraba and S. Sato, “Process Development of Interface Structure Control for Next-Generation High-Performance SiC Power MOS Transistors” (Short Oral & Poster Presentation), *16th Int. Workshop on New Group IV Semiconductor Nanoelectronics (Satellite workshop of ICSI/ISTDM 2025)*, Sendai, Japan, Nov. 17-18, 2025, Abst, No. P-02, pp.43-44.

・ 国際会議招待講演 (筆頭著者分のみ、発表済 19 件)

1. M. Sakuraba, D. Muto, M. Mori, K. Sugawara and J. Murota, “Very Low-Temperature Epitaxial Growth of Silicon and Germanium Using Plasma-Assisted CVD” (**Invited Paper**), *Abs. of 5th Int. Conf. Silicon Epitaxy and Heterostructures (ICSI-5)*, Marseille, France, May 20-24, 2007, Abs. No. S1-13, pp.14-15.
2. M. Sakuraba, R. Ito, T. Seo and J. Murota, “Fabrication of Hole Resonant Tunneling Diodes with Nanometer Order Heterostructures of Si/Strained Si_{1-x}Ge_x Epitaxially Grown on Si(100)” (**Invited Paper**), *Proc. of Symp. E9: ULSI Process Integration 5*, Washington, DC, USA, Oct. 7-12, 2007 (ECS Trans., Vol.11, No. 6, Edited by C. Claeys, H. Iwai, M. Tao, J. Murota, J. J. Liou, S. Deleonibus, The Electrochem. Soc., Pennington, NJ, 2007), pp.131-139: *Abs. 212th Electrochem. Soc. Meeting*, Abst.No.1283.
3. M. Sakuraba and J. Murota, “Resonant Tunneling Diodes with Highly Strained Heterostructures of Si/Si_{1-x}Ge_x Epitaxially Grown on Si(100)” (**Invited Paper**), *Abs. of 1st Int. Workshop on Si Based Nano-Electronics and -Photonics (SiNEP-09)*, Vigo, Spain, Sep. 20-23, 2009, pp.81-82.
4. M. Sakuraba, T. Nosaka, K. Sugawara and J. Murota, “Epitaxial Growth of Group IV Semiconductor Nanostructures Using Atomically Controlled Plasma Processing” (**Invited Paper**), *Abs. of 5th Int. Workshop on New Group IV Semiconductor Nanoelectronics*, Tohoku Univ., Sendai, Japan, Jan. 29-30, 2010, Abs. No. I-13, pp.69-70.
5. M. Sakuraba and J. Murota, “Atomically Controlled Plasma Processing for Epitaxial Growth of Group IV Semiconductors” (**Invited Paper**), *Proc. of 10th IEEE Int. Conf. on Solid-State and Integrated Circuit Technology (ICSICT-2010)*, Shanghai, China, Nov. 1-4, 2010, Proc. No. I12_07.
6. M. Sakuraba and J. Murota, “Fabrication of Room-Temperature Resonant Tunneling Diode with Atomically Controlled Strained Si_{1-x}Ge_x/Si Quantum Heterostructure” (**Invited Paper**), *Abs. of 4th French Research Organizations - Tohoku University Joint Workshop on Frontier Materials (Frontier 2011)*, Sendai, Japan, Dec. 4-8, 2011, p.35.
7. M. Sakuraba and J. Murota, “Atomically Controlled Plasma CVD Processing for Quantum Heterointegration of Group IV Semiconductors” (**Invited Paper**), *Abs. of 6th Int. Workshop on New Group IV Semiconductor Nanoelectronics and JSPS Core-to-Core Program Joint Seminar "Atomically Controlled Processing for Ultralarge Scale Integration"*, Tohoku Univ., Sendai, Japan, Feb. 22-23, 2013, Abs. No. D-3.
8. M. Sakuraba, J. Murota and S. Sato, “Formation of Heavily B-Doped Si and Ge Films Epitaxially Grown on Si(100) by Low-Energy ECR Ar Plasma CVD without Substrate Heating” (**Invited Paper**), *Abs. of JSPS Core-to-Core Program Workshop "Atomically Controlled Processing for Ultralarge Scale Integration"*, IHP, Frankfurt (Oder), Germany, Oct. 24-25, 2013, Abs. No. 01.
9. M. Sakuraba and J. Murota, “Group-IV Semiconductor Quantum Heterointegration by Low-Energy Plasma CVD Processing” (**Invited Paper**), *Proc. of Symp. E12: ULSI Process Integration 8*, San Francisco, USA, Oct. 27-Nov. 1, 2013 (ECS Trans., Vol.58, No.9, Edited by C. Claeys, H. Iwai, M. Tao, S. Deleonibus, J. Murota, The Electrochem. Soc., Pennington, NJ, 2013), pp.195-200: *Abs. 224th Electrochem. Soc. Meeting*, Abs. No. 2226.

10. M. Sakuraba, N. Ueno and S. Sato, “Thin Film Formation of $\text{Si}_{1-x}\text{Ge}_x$ Alloy on Si(100) for Quantum-Effect Nano Heterostructure by ECR Ar Plasma CVD without Substrate Heating” (**Invited Paper**), *Abs. of JSPS Int. Core-to-Core Program Workshop on Atomically Controlled Processing for Ultralarge Scale Integration*, imec, Leuven, Belgium, Nov. 13-14, 2014, Abs. No. 6.2.
11. M. Sakuraba and S. Sato, “Electron-Cyclotron-Resonance Ar Plasma Chemical Vapor Deposition for Group-IV Semiconductor Quantum-Heterostructure” (**Invited Paper**), *Abs. of Energy Materials Nanotechnology (EMN) Meeting on Photovoltaics*, Orlando, FL, USA, Jan. 12-15, 2015, Abs. No. A13, pp. 28-29.
12. M. Sakuraba, H. Akima and S. Sato, “Low-Energy Plasma CVD Processing for Quantum Heterointegration of Group-IV Semiconductors” (**Invited Paper**), *2nd Joint IT Workshop of Moscow State University-Tohoku University*, Moscow State University, Moscow, Russia, Sep. 7, 2015.
13. M. Sakuraba, H. Akima and S. Sato, “Group-IV Quantum-Heterostructure Formation Based on Low-Energy Plasma CVD towards Electronic Device Application” (**Invited Paper**), *Abs. of Energy Materials Nanotechnology (EMN) Hong Kong Meeting*, Hong Kong, China, Dec. 9-12, 2015, Abs. No. D10, pp. 135-136.
14. M. Sakuraba, H. Akima and S. Sato, “Epitaxy and In-Situ Doping of Group-IV Semiconductors by Low-Energy Plasma CVD for Quantum Heterointegration in Nanoelectronics” (**Invited Paper**), *Abs. of Energy Materials Nanotechnology (EMN) Meeting on Epitaxy*, Budapest, Hungary, Sep. 4-8, 2016, No. A19, pp.61-63.
15. M. Sakuraba, H. Akima and S. Sato, “Epitaxy and In-Situ Doping of Group-IV Semiconductors by Low-Energy Plasma CVD for Nanoelectronics” (**Invited Paper**), *Abs. of 11th Int. Workshop on New Group IV Semiconductor Nanoelectronics*, Tohoku Univ., Sendai, Japan, Feb. 23-24, 2018, Abs. No. I-14, pp.27-28.
16. M. Sakuraba and S. Sato, “Epitaxy and In-Situ Doping in Low-Energy Plasma CVD Processing for Group-IV Semiconductor Nanoelectronics” (**Invited Lecture**), *Abs. of 11th Int. Symp. on Advanced Plasma Sci. and its Applications for Nitrides and Nanomaterials (ISPlasma2019) / 12th Int. Conf. on Plasma-Nano Technol. & Sci. (IC-PLANTS2019)*, Nagoya, Japan, Mar. 17-21, 2019, Abs. No. 19aC06I.
17. M. Sakuraba and S. Sato, “Low-Energy Plasma Enhanced Epitaxy and In-Situ Doping for Group-IV Semiconductor Device Fabrication” (**Invited Paper**), *Abs. of Collaborative Conf. on Materials Research (CCMR)*, Gyeonggi Goyang/Seoul, South Korea, June 3-7, 2019, pp. 100-104.
18. M. Sakuraba and S. Sato, “Low-Energy Plasma Enhanced Chemical Vapor Deposition and In-Situ Doping for Junction Formation in Group-IV Semiconductor Devices” (**Invited Paper**), *Abs. of Symp. G03: Semiconductor Process Integration II, 236th Meeting of the Electrochem. Soc.*, Atlanta, GA, Oct. 13-17, 2019, Abs. No. 1164.
19. M. Sakuraba, S. Sato and H. Nagasawa, “Development of High-Performance Group-IV Semiconductor Devices for Robust Neuromorphic Computing Integrated Circuits” (**Invited Paper**), *Abs. of 16th Int. Workshop on New Group IV Semiconductor Nanoelectronics (Satellite workshop of ICSI/ISTDM 2025)*, Sendai, Japan, Nov. 17-18, 2025, Abs. No. I-14, pp. 27-28.

著書 (7件)

1. 室田淳一, 松浦孝, 櫻庭政夫, “CVD 薄膜形成における表面吸着水素の効果”, ウェーハ表面完全性の創成・評価技術, サイエンスフォーラム社, 第4章, 第3節, pp. 160-167, (1998).
2. 室田淳一, 櫻庭政夫, 松浦孝, “Si-Ge 系の CVD エピタキシーと原子層成長制御”, 半導体結晶成長, 大野英男編著, コロナ社, 第2章, pp. 19-42, (1999).
3. 室田淳一, 櫻庭政夫, “シリコン系半導体膜”, 21世紀版・薄膜作製応用ハンドブック, エヌ・ティー・エス社, 第2編 薄膜の作製と加工, 第3章 CVD法, 第1節 熱CVD法, 第2項, pp. 346-349, (2003).
4. 室田淳一, 櫻庭政夫, “化学気相成長法(熱CVD)”, 新訂版・表面科学の基礎と応用, エヌ・ティー・エス社, 第2編 基盤技術編, 第2章 表面・界面の作製技術, 第3節 薄膜・ナノ構造形成技術, 第4項, pp. 467-473, (2004).
5. 櫻庭政夫, “〔1〕単結晶薄膜”, 薄膜ハンドブック (第2版), 日本学術振興会薄膜第131委員会編, オーム社, 4章 薄膜の物性, 4.2節 半導体特性, 4.2.3項 Si, Ge 薄膜材料, pp. 360-361, (2008).
6. 室田淳一, 櫻庭政夫, “CVD法による SiGe(C)系エピタキシャル成長における原子層成長制御と原子層ドーピング”, ポストシリコン半導体ナノ成膜ダイナミクスと基板・界面効果, エヌ・ティー・エス社, 第1編 結晶性半導体ナノ薄膜の成膜と電子物性に関する物質科学, 第3章, pp. 43-53, (2013).
7. M. Sakuraba, H. Akima and S. Sato, “Low-Energy Plasma CVD for Epitaxy and In-Situ Doping of Group-IV Semiconductors in Nanoelectronics”, Chapter 4, "Chemical Vapor Deposition (CVD): Types, Uses and Selected Research" (Edited by Monica Powell, Nova Science Publishers, Inc., Feb. 14, 2017), pp. 61-115: [Book] ISBN978-1-53610-893-4; [eBook] ISBN978-1-53610-908-5.

・ 解説・総説 (4件)

1. 室田淳一, 櫻庭政夫, 松浦孝, “CVD $\text{Si}_{1-x}\text{Ge}_x$ エピタキシャル成長とドーピング制御”, 日本結晶成長学会誌, 日本結晶成長学会, Vol. 27, 4月号, pp. 171-178, (2000).
2. 室田淳一, 櫻庭政夫, 松浦孝, 高澤裕真, 森谷敦, 野田孝暁, 国井泰夫, “CVD $\text{Si}_{1-x-y}\text{Ge}_x\text{C}_y$ エピタキシャル成長とドーピング”, 日立国際電気技報, 日立国際電気, No. 1, pp. 2-10, (2001).
3. 財満鎮明, 櫻庭政夫, 室田淳一, “SiGe 技術の最新研究動向”, 電子材料, 工業調査会, 6月号, pp. 97-103, (2003).
4. 櫻庭政夫, 秋間学尚, 佐藤茂雄, 室田淳一, “XPS によるIV族半導体材料における深さ方向組成分布の評価事例”, 表面分析研究懇談会 (2015年6月18~19日、(株)島津製作所秦野工場)講演要旨集, pp. 6-1~6-9, (2015), DOI: 10.13140/RG.2.1.2125.3284.

・ 特許等（登録 8 件、公開・出願中 10 件）

【国内登録】（4 件）

1. 「半導体デバイス」, 櫻庭政夫, 山田敦史, 室田淳一, 国内, 特許第 4,649,604 号, 2010 年 12 月 24 日.
2. 「電界効果トランジスタ及びその製造方法」, 酒井徹志, 室田淳一, 大見俊一郎, 櫻庭政夫, 国内, 特許第 3,793,808 号, 2006 年 4 月 21 日.
3. 「気相成長方法」, 室田淳一, 小野昭一, 櫻庭政夫, 御子柴宣夫, 黒河治重, 池田文秀, 特許第 3,163,267 号, 2001 年 2 月 23 日 (特許第 2,680,202 号の分割).
4. 「気相成長方法及び装置」, 室田淳一, 小野昭一, 櫻庭政夫, 御子柴宣夫, 黒河治重, 池田文秀, 国内, 特許第 2,680,202 号, 1997 年 8 月 1 日.

【海外登録】（4 件）

1. “SEMICONDUCTOR DEVICE HAVING A METAL-SEMICONDUCTOR JUNCTION WITH A REDUCED CONTACT RESISTANCE”, J. Murota, Y. Shimamune, M. Sakuraba and T. Matsuura, U.S. Patent, No. 6,800,544, Oct. 5, 2004.
2. “SEMICONDUCTOR DEVICE HAVING A METAL-SEMICONDUCTOR JUNCTION WITH A REDUCED CONTACT RESISTANCE”, J. Murota, Y. Shimamune, M. Sakuraba and T. Matsuura, U.S. Patent, No. 6,621,145, Sep. 16, 2003.
3. “A VAPOUR DEPOSITING METHOD AND AN APPARATUS THEREFOR”, J. Murota, S. Ono, M. Sakuraba, N. Mikoshiba, H. Kurokawa and F. Ikeda, Korean Patent, No. 311,893, Sep. 28, 2001.
4. “VAPOR DEPOSITING METHOD”, J. Murota, S. Ono, M. Sakuraba, N. Mikoshiba, H. Kurokawa and F. Ikeda, U.S. Patent, No. 5,705,224, Jan. 6, 1998.

【国内公開・出願中】（4 件）

1. 「半導体デバイスの製造方法」, 櫻庭政夫, 上野尚文, 佐藤茂雄, 秋間学尚, 特願 2016-182925 号, 2016 年 9 月 20 日.
2. 「MOS 型電界効果トランジスタ」, 室田淳一, 櫻庭政夫, 松浦孝, 土屋敏章, 特開 2002-237,590 号, 2002 年 8 月 23 日.
3. 「半導体装置」, 室田淳一, 土屋敏章, 松浦孝, 櫻庭政夫, 特開 2002-043,576 号, 2002 年 2 月 8 日.
4. 「ヘテロ接合バイポーラトランジスタ」, 尾藤三津雄, 篠井潔, 和賀聡, 室田淳一, 櫻庭政夫, 松浦孝, 特開 2000-124,225 号, 2000 年 4 月 28 日.

【海外公開・出願中】（6 件）

1. “MOS FIELD-EFFECT TRANSISTOR COMPRISING LAYERED STRUCTURE INCLUDING Si LAYER AND SiGe LAYER OR SiGeC LAYER AS CHANNEL REGIONS”, J. Murota, M. Sakuraba, T. Matsuura and T. Tsuchiya, U.S. Patent, 公開 No. US20,020,109,135, Aug. 15, 2002.
2. “MOS FIELD-EFFECT TRANSISTOR COMPRISING LAYERED STRUCTURE INCLUDING Si LAYER AND SiGe LAYER OR SiGeC LAYER AS CHANNEL REGIONS”, J. Murota, M. Sakuraba, T. Matsuura and T. Tsuchiya, European Patent (Germany, France, England), 公開 No. EP1,231,643, Aug. 14, 2002.

3. “MOSFET WITH STRAINED CHANNEL LAYER”, J. Murota, T. Tsuchiya, T. Matsuura and M. Sakuraba, Korean Patent, 出願 No. 2001-44,099, Jul. 23, 2001.
4. “NMOS and PMOS with strained channel layer”, J. Murota, T. Tsuchiya, T. Matsuura and M. Sakuraba, European Patent (Germany, France, England), 公開 No. EP1,178,532, Feb. 6, 2002.
5. “MOSFET WITH STRAINED CHANNEL LAYER”, J. Murota, T. Tsuchiya, T. Matsuura and M. Sakuraba, U.S. Patent, 公開 No. US20,020,008,289, Jan. 24, 2002.
6. “A Vapour Depositing Method and an Apparatus Therefor”, J. Murota, S. Ono, M. Sakuraba, N. Mikoshiba, H. Kurokawa and F. Ikeda, European Patent (Germany, France, England), 公開 No. EP0,504,886, Sep. 23, 1992.